STAFF COMMENTS FOR PLANNING COMMISSION

MEETING DATE: November 1, 2006

SITE PLAN: AFP-06-036

TITLE: Kentlands General Store

REQUEST: AMENDMENT TO FINAL PLAN APPROVAL

For general store, office use, and one residential

unit

ADDRESS: 4 Kent. Gardens Circle

ZONE: MXD (Mixed Use Development)

APPLICANT/REPRESENTATIVE/ATTORNEY/DEVELOPER: (as

applicable)

Applicant: McKee Construction Company - Chris McKee

Architect: CEM Design

Engineer: Rodgers Consulting, Inc. – Gary Unterberg

Owner: Timothy Shaw

STAFF PERSON: Jacqueline Marsh, Planner

Enclosures:

Staff Comments

Exhibit 1: Site location map

Exhibit 2: Application

Exhibit 3: Letter from Gary Unterberg, dated August 9, 2006 Exhibit 4: SDP-1, The Kentlands Gatehouse District (1989)

Exhibit 5: K-928, Kentlands Gardens Circle, Commercial Lots (1991)

Exhibit 6: Proposed Site plan Exhibit 7: Proposed floor plans Exhibit 8: Proposed elevations

Exhibit 9: Approval letter from Kentlands Citizens Assembly, dated October 24, 2006

Exhibit 10: Mixed Use Parking Requirements for AFP-06-036

STAFF COMMENTS

This is an Amendment to Final plan request for a three-story mixed use building located at 4 Kent Gardens Circle. The subject property is located in the Kentlands, and has frontage on both Kent Gardens Circle and Tschiffely Square Road (Exhibit #2). Directly behind the property is Rachel Carson Elementary School. This is an MXD (Mixed Use Development) zoned property.

In 1989, this property was approved as part of the original schematic development plan for the Kentlands (SDP-1), which showed footprints for commercial buildings (Exhibit #4). The site plan was approved in 1991 as K-928 combining the subject property and the daycare (Exhibit #5). It was originally approved as a 2,625 square foot retail building with three one-bedroom apartments. The original footprint was for 39.5 feet wide by 72 feet in length three-story building. In the next decade, several amendments were made to the site plan with the last approval given in 1999. Construction of that last site plan was never initiated.

The current application before the Commission proposes a three story building with a 2,000 square foot general store on the first floor, 2,000 square feet of office space on the second floor, and one residential unit on the third floor (Exhibit #6). It should also be noted that the applicant has indicated on their floor plans the inclusion of 2,000 square feet of storage space in the building's basement (Exhibit #7). The proposed site plan shows a decrease in the original building footprint to 40 feet wide by 50 feet long with a 126 square foot extension on the rear for the staircase.

At the time of the first site plan approval, a shared parking arrangement was proposed for the subject property and the daycare:

TOTAL	34 spaces	42 spaces
Day care - 14 employees @ 1/employee=	14 spaces	
Apartments - 3 (1 bedroom) @1.75 unit=	5 spaces	
Retail - 2625 SF @ 1/180 SF=	15 spaces	
	REQUIRED	PROVIDED

These 42 parking spaces were arranged around the circle serving the site. Again, throughout the next decade there were modifications made to the parking calculations due to the change in daycare employees and the dedication of a handicap parking space for the church on Block GG, Parcel A. The current application uses the Mixed Use Parking Requirements Schedule as per §24-219(c)(1) (see Exhibit #10).By using this configuration, the site will be over-parked by four spaces. The site plan shows there are specific spaces dedicated to the general store and daycare site, respectively.


The architecture of the building is similar to what was before the Planning Commission in 1991. The elevations have been updated to include the stairs within

the building, differences in window fenestration, and sign locations (Exhibit #8). The building will have a smooth cement board siding and cedar shakes on the roof. The applicant should submit a complete sign package for the building which would detail specific square footage, sign locations, and lighting standards. On October 24, 2006, the Kentlands Citizens Assembly (KCA) granted approval for the building with stipulations (Exhibit #9). It was at the suggestion of the KCA that the applicant slightly rotate the building to align with the radius of the circle on which it fronts.

There is a four foot high white picket fence that currently exists on site. The fence will remain to create a barrier between the building and the daycare playground facilities. The fence will be extended behind the building and terminate at the sidewalk on Tschiffely Square Road. The dumpster area behind the rear stairs will have screening that will match the building.

Conclusion. Staff recommends TO GRANT AFP-06-036, the Kentlands General Store, AMENDMENT TO FINAL PLAN APPROVAL, FINDING IT IN COMPLIANCE WITH §§ 24-170 and 24-172, WITH THE FOLLOWING CONDITION(S):

- 1. Applicant shall submit a sign package to the City of Gaithersburg and the Kentlands Citizens Assembly for approval before the issuance of occupancy permits; and
- 2. The applicant shall provide concrete and brick patio cross sections and dumpster enclosure details prior to the issuance of any permits.



888-159-06-036 # 1




City of Gaithersburg • 31 South Summit Avenue • Gaithersburg, Maryland 20877 • Telephone: (301) 258-6330 • Fax: (301) 258-6336 plancode@gaithersburgmd.gov • www.gaithersburgmd.gov

AMENDMENT TO FINAL PLAN APPLICATION

In accordance with Section 24, Article V of the City Code

Application #	AFP	-06-0	136
Date Filed	4	2,11/4	6
Total Fee	35°C	PC	
4	116.	\$2	01

1. SUBJECT PROPERTY				
Project Name Kentlands, Lot 3 Block EE				· · · · · · · · · · · · · · · · · · ·
Street Address 4 Kent Gardens Circle				
Zone MXD Historic area designation Ves				
Lot 4 Block EE Subdivision Kentlands				
Tax Identification Number (MUST BE FILLED IN) 09-02960458				
2. APPLICANT				
Name McKee Construction Company Attn: Chri				
Street Address 239 Midsummer Circle		MT	Suite No	20070
City Gaithersburg		עויי	_ Zip Code _	20878
Daytime Telephone 301-807-5656				
3. ARCHITECT/ENGINEER/DEVELOPER				
Architect's Name CEM Design			···	
Architect's Maryland Registration Number	_ Telepho	one		
Street Address 520 Anderson Avenue			_ Suite Num	ber
City Rockville	State	MD	_ Zip Code .	20850
			•	
Engineer's Name Rodgers Consulting, Inc.				·
Engineer's Maryland Registration Number	Telepho	one	301-948-4	4700
Engineer's Maryland Registration Number	Telepho	one	Suite Numl	_{oer} 200
Engineer's Maryland Registration Number	Telepho	one	Suite Numl	_{oer} 200
Engineer's Maryland Registration Number	Telepho	one	Suite Numl	_{oer} 200
Engineer's Maryland Registration Number	Telepho State	MD_	_ Suite Numl _ Zip Code _	per 200 20874
Engineer's Maryland Registration Number	Telepho State _ Teleph	MD one	_ Suite Numl _ Zip Code _	per 200 20874
Engineer's Maryland Registration Number	Telepho State Teleph	MD one	_ Suite Numl _ Zip Code _ Suite Numl	200 20874
Engineer's Maryland Registration Number	Telepho State Teleph State	MD one	_ Suite Numl _ Zip Code _ _ _ Suite Numl _ Zip Code _	200 20874 Der
Engineer's Maryland Registration Number	Telepho State Teleph State	MD one	_ Suite Numl _ Zip Code _ _ _ Suite Numl _ Zip Code _	200 20874 Der
Engineer's Maryland Registration Number	Telepho State Teleph State	MD one	_ Suite Numl _ Zip Code _ _ _ Suite Numl _ Zip Code _	200 20874 Der
Engineer's Maryland Registration Number	Telepho State Telepho State _ Telepho	MD one	_ Suite Numl _ Zip Code _ _ Suite Numl _ Zip Code _	200 20874
Engineer's Maryland Registration Number_ Street Address 19847 Century Blvd City Germantown Developer's Name Street Address City Contact Person 4. PROPERTY OWNER Name Shaw Timothy L Et Al Street Address 7801 Brink Road	Telepho State State Telepho	MD one	Suite Numl Zip Code Suite Numl Zip Code Suite No.	200 20874
Engineer's Maryland Registration Number_ Street Address 19847 Century Blvd City Germantown Developer's Name Street Address City Contact Person 4. PROPERTY OWNER Name Shaw Timothy L Et A1	Telepho State State Telepho	MD one	Suite Numl Zip Code Suite Numl Zip Code	200 20874
Engineer's Maryland Registration Number_ Street Address 19847 Century Blvd City Germantown Developer's Name Street Address City Contact Person 4. PROPERTY OWNER Name Shaw Timothy L Et Al Street Address 7801 Brink Road	Telepho State State Telepho State	MD one	Suite Numl Zip Code Suite Numl Zip Code Suite No.	200 20874
Engineer's Maryland Registration Number	Telepho State State Telepho State	MD one	Suite Numl Zip Code Suite Numl Zip Code Suite No.	200 20874
Engineer's Maryland Registration Number_ Street Address 19847 Century Blvd City Germantown Developer's Name Street Address City Contact Person 4. PROPERTY OWNER Name Shaw Timothy L Et Al Street Address 7801 Brink Road City Gaithersburg	Telepho State _ State _ State	MD one	Suite Numl Zip Code Suite Numl Zip Code Suite No. Zip Code	200 20874



, PROJECT DETAIL INFORMATION a. POPULATION CHANGES (i Changes in population estima	f any)		
Employee estimate:	Total number	Total number per s	hift
Resident estimate:	Total number		dwelling unit
b. PLEASE SUPPLY THE FOLLO	WING INFORMATION		
DEVELOPMENTINFORMATI	ON	REQUIRED	PROVIDED
1. Site (square feet)		-	6,225 sf
2. Site Area (acres)		-	0.14 ac
3. Total Number of Dwelling Units	/Lots	<u>-</u>	1
4. Height of Tallest Building	;	-	38
5. Green Area (square feet)		-	
Number of Dwelling Units/Acre		-	-
7. Lot Coverage (Percent)		-	
8. Green Area (Percent)		40	63
9. Residential		-	
a. Single Family Detached	# Units		
b. Single Family Attached	# Units	-	<u> </u>
c. Multi-Family Condo	# Units	-	-
d. Multi-Family Apartment	# Units	<u>-</u>	1
e. Other	T		
0. Retail/Commercial	Sq. Ft.		2000
11. Restaurant Class: DA DB DC	Sq. Ft.	-	0000
12. Office/Professional	Sq. Ft.	-	2000
13. Warehouse/Storage	Sq. Ft.	<u> </u>	2000 4 -
14. Parking 15. Shared Parking/Waiver		36	40
16. Other			
17. Total		- 	

Daytime Telephone_



August 9, 2006

Ms. Jacqueline A. Marsh City of Gaithersburg Planning and Code Administration 31 South Summit Avenue Gaithersburg, MD 20877

Re:

Kentlands, Lot 3, Block EE 4 Kent Gardens Circle, Amendment to Final Site Plan (K-928 Site Plan)

Dear Ms Marsh,

On behalf of McKee Construction Company, we are submitting the Amendment to Final Site Plan for review and approval. The plan was originally approved in 1991 as a mixed use building with a general store & office. The amended plan keeps the previously approved uses & building with one residential unit in the attic. The building architecture & height is consistent with the original approval. The residential use is permitted per the approved Schematic Development Plan.

Enclosed is the following:

Application and Check List

\$500 fee

15 copy of the Amended Site Plan

2 copies of the Architecture Elevations

1 copy of the Previously Approved Site Plan, Landscape Plan and Storm Drain Plan

1 Previously Approved Architecture.

1 Copy of 8" x 11" Vicinity Map

1 Copies of approved SDP

1 copy of the record plat

If you have any questions or need additional information please give me a call.

Singerely

Gary F. Unterberg, RLA

Vice President

Cc:

Mr. Chris McKee Mr. Tim Shaw

File

488 AFP-06-036 # 3



CERTIFIED MAIL / FIRST CLASS RETURN RECEIPT REQUESTED

Kentlands Citizens Assembly 485 Tschiffely Square Road Gaithersburg, MD 20878 301-948-2071 301-948-9730 (Fax)

October 24, 2006

Chris McKee 239 Midsummer Circle Gaithersburg, MD 20878

Reference:

4 Kent Garden Circle

Architectural Control Application # 06-1011

Dear Mr. McKee:

I am pleased to inform you that the Kentlands Historical Trust of the Kentlands Citizens Assembly has approved your application for the following item(s) with the following stipulation(s):

Item(s): Live-Work Unit

Stipulation(s): It was agreed that the building should be rotated to align with the radius of the circle as closely as possible with regard to the P.U.E.

The option with transoms above the windows would be selected. The transoms shall be vertically proportioned. The porch roof on the front façade should be raised to accommodate the transom windows.

In order to include transoms, the window height will be raised on the front of the building.

Option for the left side of the building is to be proposed façade A with the small window on the left first floor removed.

Wood trim is to be used between the storefront windows rather than siding in all storefront locations.

Detail signage and lighting to be completed later and submitted for approval. Signage shall be in compliance with the Kentlands code.

Storefront windows will be clear of visual obstruction up to 15 feet.

The columns will be made as large as possible (12 inches), and may be on raised pads.

Community Management Corporation

Virginia
12701 Fair Lakes Circle, Suite 400
Fairfax, Virginia 22033
Post Office Box 10821, Chantilly, VA 20153
(703) 631-7200 FAX (703) 631-9786

COUNTY ASSOCIATIONS
INSTITUTE
AND attent description
Management Company

www.cmc-management.com

Maryland 19650 Club House Road Suite 103 Gaithersburg, MD 20886 (301) 926-2911 FAX (301) 926 -1608 The exterior stairs will be moved from the right side to the center rear of the building. The roof of the stairs will be lower than the roof of the building. It is recommended that the stairs be enclosed, but this is not required.

Final elevations of the building will be submitted to DPZ and the KHT for the record when completed.

If Palladium window is used, it shall be correctly proportioned.

The approval is contingent upon compliance with the specifications set forth in the approved application. If your change or addition requires a city permit, it must be obtained before construction.

Please retain this letter in your files. If you should have any questions, please feel free to contact me at the number above.

Sincerely,

Sandy Al-Nazer, CMCA


Assistant Community Manager

cc: Tim Shaw

Mixed Use Parking Requirements

Use	Weekday	Ţ	Weekend		
	Day	Evening	Day	Evening	Night Time
	6:00 am -	6:00 pm -	6:00 am-	6:00 pm -	Midnight -
	6:00 pm	Midnight	6:00 pm	Midnight	6:00 am
Industrial/office/	100% x	10% x	10% x	5% x	5% x
Warehouse	(2,000/300) =	(2,000/300) =	(2,000/300) =	(2,000/300) =	(2,000/300) =
	7.0	0.7	0.7	0.3	0.3
General Retail	60% x	90% x	100% x	70% x	5% x
	(2,000/180) =	(2,000/180) =	(2,000/180) =	(2,000/180) =	(2,000/180) =
	7.0	10.0	11.1	7.8	0.6
Hotel/motel	75%	100%	75%	100%	75%
Class A	50%	100%	100%	100%	10%
restaurant	\	<u>}</u>			
Class B	100%	100%	100%	100%	10%
restaurant		<u></u>			
Class C	50%	100%	100%	100%	10%
restaurant	<u> </u>				
Commercial	40%	100%	80%	100%	10%
recreation /					
theatre					
All other	100%	100%	100%	100%	100%
TOTAL	14	11	12	8	1







PENGAD-Bayonne, N. J.


4

4



THORP # 5





BASEMENT FLOOR PLAN

SCAF: 1/4" = 1'-0"

<u>RETAIL</u> 2000 SQ. FT. 10' CEILING HT. LCBBY COVERED PORCH

FIRST FLOOR PLAN

SCALC: 1/4" = 1"-0"

OR PLAN


EHEAD-64-000 0360

A1.1

FLOOR PLANS

CEM DESIGN

New Construction for Lot 3, Block EE Kentlands, City of Gaithersburg McKee Construction Co.



A1.2

CEM DESIBN
10. 280-80. 2009.
20. 280-80. 280-100.
20. 250-80. 380-50.

EE

New Construction for Lot 3, Block Kentlands, City of Gaithersburg McKee Construction Co.

PROFESSIONAL OX-ICS.
2000 SQ. 17.
10° CELING H1

SECOND FLOOR PLAN

SCALE: 1/4" = 1"+0"

2 THIRD FLOOR PLAN
SCALE: 1/4" = 1'-0"

CEM DESIGN 075 A.C.A.C.S.W. 1745/95. S.BOSWELS - \$147 J.M.O. Br. 1861/4600 - 20/95.

> H New Construction for Lot 3, Block Kentlands, City of Gaithersburg McKee Construction Co.

EXTERIOR ELEVATIONS

LEFT SIDE ELEVATION

SCALE: 1/4" = 1"-0"

FILL!

THIRD FLOOR CEILING

ALUMINUM CUITER & DOWNSPOUT THIRD :100R SLCOND FL. CEILING

PVC BES MOULDING -5/4x8 FACIA

PYC CAP AND TRIM

15" LOUVERED

SHUTTERS

5/4x6 CORNER BD.

6" SMOOTH CEMENT

BD SIENNG

PVC CAP AND TRIM

CEM. BD. CLAD 6x6 COLUMN

SMOOTH CEMENT 30. PANEL

FIRST FLOOR

BASEMENT CEILING

BASEMENT FLOOR

AWNING W/ SIGN PANEL

6" SMOOTH CEMENT. BD. SIDING

SECOND FL. CEILING PVC BED MOULDING-5/4x8 FACIA-

PVC CAP AND TRIM

16" LOUVERED _
SHUTTERS

5/4x6 CORNER UD. -8" SMOOTH CLIMENT. BD. SIDING

SECOND FLOOR FIRST FL. CEILING

> STORETPONT CEM. BD. CLAU 6x6 COLUMN

SMOOTH CLIMENT BD. PANEL

BASEMENT CEILING


BASEMENT FLOOR

FRONT ELEVATION SCALE: 1/4" = 1'-0"

OPT. SICN BOARD

A2.1 SHEET 3 OF 4

CEM DESIGN
600 properties a partie
800 properties and parties
100 properties and parties



REAR ELEVATION

SCALE: 1/4" = 1'-6"

RIGHT SIDE ELEVATION

SCALE: 1/4" = 1'-0"

A2.2

SHEET 4 OF 4